EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	663825	(password$3 passphrase$1 PIN) ((user$2 client$1 person $3) near3 (code $1 number$1 pin password$1 passphrase$1))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L2	6244	(generat$4 creat $4 determin$7) near8 ((encrypt $6 algorithm$1 encipher$9 cipher $9 crypto cryptograph$6) near4 (version$1 application$1 program$1 routine$1 software$1))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L3	9763	(user-specif5 user-base$1 ((user$2 client$1 person$3) near3 (specif$5 accord $4 particular$2 match$3 bas $2))) near9 (password$3 passphrase$1 PIN privilege$1 role$1 association $1 rule$1 (access $3 near2 control $1) permission $1)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L4	7828	((726/1) or (726/2) or (726/4) or (726/5) or (726/7) or (726/8) or (726/17) or (726/118) or (726/19) or (726/21) or (726/27) or (726/30) or (726/34) or (713/168) or (713/182) or (713/183) or (713/184) or (713/185) or (713/193) or (705/16) or (705/17) or (705/18) or (380/229) or (380/241) or (380/255) or (380/28) or (380/29)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L5	700	L4 and L2	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L6	138	(password$3 passphrase$1 PIN) near8 L2	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L7	363	(password$3 passphrase$1 PIN) and L5	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L8	130	L3 and L5	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L9	4999	(password$3 passphrase$1 PIN) near9 (encrypt$6 algorithm$1 encipher$9 cipher $9 crypto cryptograph$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L10	93	L9 and L8	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L11	49	L10 and hash$3	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L12	586	L4 and ((generat$4 creat$4 determin$7) near5 ((encrypt$6 algorithm$1 encipher$9 cipher$9 crypto cryptograph$6) near4 (version$1 application$1 program$1 routine$1 software$1)))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L13	1328	(password$3 passphrase$1 PIN) near8 (specif$5 accord$4 particular$2 match$3 bas$2 determin$4 predetermin$7 pre-determin$8 preset$3 pre-set$3 appoint$3 list$1 version$1) near8 (encrypt$6 algorithm$1 encipher$9 cipher$9 crypto cryptograph$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L14	75	L12 and L13	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L15	46	L14 and hash$4	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L16	6244	(generat$4 creat$4 determin$7) near8 ((encrypt$6 algorithm$1 encipher$9 cipher$9 crypto cryptograph$6) near4 (version$1 application$1 program$1 routine$1 software$1))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L17	4999	(password$3 passphrase$1 PIN) near9 (encrypt$6 algorithm$1 encipher$9 cipher $9 crypto cryptograph$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L18	7828	((726/1) or (726/2) or (726/4) or (726/5) or (726/7) or (726/8) or (726/17) or (726/118) or (726/19) or (726/21) or (726/27) or (726/30) or (726/34) or (713/168) or (713/182) or (713/183) or (713/184) or (713/185) or (713/193) or (705/16) or (705/17) or (705/18) or (380/229) or (380/241) or (380/255) or (380/28) or (380/29)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L19	700	L18 and L16	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L20	363	(password$3 passphrase$1 PIN) and L19	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L21	1328	(password$3 passphrase$1 PIN) near8 (specif $5 accord$4 particular$2 match$3 bas$2 determin$4 predetermin$7 pre-determin$8 preset$3 pre-set $3 appoint$3 list $1 version$1) near8 (encrypt$6 algorithm$1 encipher$9 cipher $9 crypto cryptograph$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L22	586	L18 and ((generat $4 creat$4 determin$7) near5 ((encrypt $6 algorithm$1 encipher$9 cipher $9 crypto cryptograph$6) near4 (version$1 application$1 program$1 routine$1 software$1)))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L23	75	L22 and L21	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L24	9763	(user-specif5 user-base$1 ((user$2 client$1 person$3) near3 (specif$5 accord $4 particular$2 match$3 bas $2))) near9 (password$3 passphrase$1 PIN privilege$1 role$1 association $1 rule$1 (access $3 near2 control $1) permission $1)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L25	130	L24 and L19	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L26	93	L17 and L25	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L27	49	L26 and hash$3	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L28	46	L23 and hash$4	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L29	138	(password$3 passphrase$1 PIN) near8 L16	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L30	663825	(password$3 passphrase$1 PIN) ((user$2 client$1 person $3) near3 (code $1 number$1 pin password$1 passphrase$1))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L31	319	(password$3 passphrase$1 PIN) with (specif $5 accord$4 particular$2 match$3 bas$2 determin$4 predetermin$7 pre-determin$8 preset$3 pre-set $3 appoint$3 base$1) with (generat$4 deriv $4) with (encrypt $6 algorithm$1 encipher$9 cipher $9 crypto cryptograph$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L32	204840	(selecti$6 allow $3) near4 (user $1 client$1 person$1)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L33	176	L31 and L32	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L34	25598	(specif$5 version $1 particular$2) near4 (encrypt$6 algorithm$1 encipher$9 cipher $9 crypto cryptograph$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L35	97	L33 and L34	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L36	92	L35 and password $1	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L37	46	L36 and (sha hash$3)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L38	4	yeates near3 anthony	USPAT; IBM_TDB	OR	ON	2008/05/16 16:10
L39	0	dournov near3 pavel	USPAT; IBM_TDB	OR	ON	2008/05/16 16:10
L40	0	blackwood near3 kirk	USPAT; IBM_TDB	OR	ON	2008/05/16 16:10

5/16/08 4:12:38 PM
C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\10728396.wsp